







ELITECH RANGE EL70E

TYPE	Pass-through dishwasher
LINE	ELITECH RANGE
BASKET	500x600
SIZE	720x770x1470/1930h











The dishwashers of the **ELITECH** line ensure maximum performance thanks to the standard Acquatech System which, through an atmospheric boiler and rinse pump, maintains constant temperature and pressure and optimum water consumption. **Elitech** ensures a sanitising rinse cycle and proves to be the perfect choice for canteens, nursing homes, pastry shops, bakers and butchers where compliance with HACCP rules is essential. For those who seek glass perfection, it is possible to connect a Reverse Osmosis System which purifies water and reduces detergent and rinse-aid consumption, ensuring excellent results and perfect glasses without the need for hand drying.

and rinse-aid consumption, ensuring excellent results and perfect glasses without the need for hand drying.

The innovative **UNIKO** tempered glass touch screen display makes any operation simple and intuitive, from the choice of most suitable wash cycle to its progress control, as well as constantly monitor the dishwasher state with ease. The large variety of wash cycles makes the dishwasher customisable according to your needs. Constant self-diagnosis allows you to minimise machine downtime, promptly warning the technician thanks to the **Wi-Fi IKLOUD** control system that gives the possibility to act remotely to change the dishwasher parameters and resolve the situation in real-time.

The **EL70E** pass-throughdishwasher with its **720mm** width is the right solution for businesses faced with washing a variety of dishes, proving capable of washing glasses, plates, medium-sized items and GN 1/1 trays, guaranteeing a maximum throughput of 60 baskets/hour (1080 dishes/hour). The canopy models are equipped with an easily removable basket support for easy cleaning and a rounded moulded tank with integral filters to ensure perfect drainage and absolute hygiene. The '**PUSH TO START**' cycle start system ensures less waste by preventing the start of empty flushes. The Reverse Osmosis System, suitable detergents and inclined basket make the EL70E excellent for gently treating your glasses.

The **electronic control** allows you to manage various parameters to give you an absolute customisation level and the continuous self-diagnosis allows you to minimise machine downtime, suggesting some operations to be verified. The self-cleaning cycle at the end of the day cleans the wash tank and empties the boiler from the hot water, preventing limestone forming inside. **The standard double peristaltic electric rinse-aid and detergent dispenser** ensures the best result from each wash cycle with great savings thanks to the precise dosage managed by the electronic card; whereas, the moulded washing and rinsing arms ensure great reliability and durability. The **Thermo-stop** function checks that washing and rinsing begin only when the desired temperature is reached. The bodywork is made entirely of **AISI 304** steel and has been designed with all components in the front to allow easy technical assistance. Sturdy and reliable dishwashers to best deal with every moment of your day.

EN IEC 63136 COMPLIANT MODEL View the performance table











DISHWASHERS FEATURES	ELITECH RANGE EL70E
Dimensions - (mm) L - P - H	720x770x1470/1930h
Ø height plate max	400mm
Height pot max	395mm
LT bread basket	60 (H=400mm)
Trays	GN1/1 - 60x40
Tank heating element - Tank capacity	4,5kW - 37l
Boiler heating element - Boiler capacity	5,4kW - 7,3l
Washing pump	1,34kW / 1,8Hp
Total power input / Current	6,74kW / 16A
Standard input voltage	400V3N - 50Hz
Recommended inlet water temperature	+55°C
Water hardness	7°f - 10°f
Water consumption per cycle (inlet suggested pressure 2 BAR)	2,4
Adjustable detergent and rinse-aid dispenser	STANDARD
Acquatech system rinse	STANDARD
STANDARD EQUIPMENT	
Basket for trays 10/12 compartments 500x600x100mm	1
Basket for glasses dim.500x600x100mm	1
Basket for 22 dishes dim.500x600x100mm	1
8 division cutlery insert	1
Integral tank filter	STANDARD
OPTIONAL	
UNIKO touch display with IKLOUD Wi-Fi control	-
Optional 230V/3+T	•
Drain pump kit 32W with Ecoclean	•
Boiler heating element 9kW	•
Reverse osmosis system	•
Basket for trays with 4 compartments dim.500x500x200mm	•
Inclined basket for wine glasses dim.500x500x170mm	•
Remote control with LCD display	•
"Energy Pro Green" System	•
Optional Installabile, Optional not installable	

EL70E









