





EVOLUTION RANGE EVO331

TYPE	Rack conveyor dishwashers	
LINE	EVOLUTION RANGE	
BASKET	500x500	
SIZE	2568x770x1825h mm	

CERTIFIED

ERE CE 🛞

ON REQUEST

WRAS

€₽.

The EVOLUTION Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. Evolution is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.







Basket for glasses dim.500x500x100mm 1	
Basket for 18 dishes dim.500x500x100mm	2
DISHWASHERS FEATURES	EVOLUTION RANGE EVO331
Dimensions - (mm) L - P - H	2568x770x1825h mm
Basket dimensions	500x500 mm
n° baskets/hour	210/110
Passage height max (cm)	450 mm
Total power input	44,2 kW (15°C)
Standard input voltage	400V3N - 50 Hz
PRE-WASHING	
Tank capacity (It)	70
Washing pump	1,5 kW - 2 Hp
WASHING	
Tank capacity (It)	70
Washing pump	1,5 kW - 2 Hp
Tank heating element (kW)	10,5 kW
FINAL RINSING	
Boiler heating element (kW)	20 kW
Water consumption	~ 300 l/h
Inlet water temperature (°C)	+15°C
Minimum water pressure (BAR)	2 bar
Water hardness (°f)	7°f - 10°f
DRYING	
Fan	0,55 kW
Air capacity	~ 1400 m3/h
Heating element	6 kW
RECUPERATORE_TERMICO_CALORE	
Exhauster	0,20 kW
Air capacity	~ 70 m3/h
STANDARD EQUIPMENT	
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
4 division cutlery insert	1
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
OPTIONAL	
Pressure reducer with pressure gauge	•
Break-Tank and 200W rinse pump	•
Corner pre-washing system	•
Option extra power 9,5 Kw	•
Internal detergent & rinse-aid dosing unit	•










EVO331









٩.